

| 编码 | 材料名称及规格型号 | 单位 | 临汾市区 | 侯马 | 霍州 | 汾西 | 洪洞 | 襄汾 | 曲沃 | 翼城 | 浮山 | 安泽 | 古县 | 乡宁 | 吉县 | 蒲县 | 大宁 | 隰县 | 永和 |
|------------------|------------------------------|----------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 四、水泥、砖瓦灰砂石及混凝土制品 | | | | | | | | | | | | | | | | | | | |
| 106 | 矿渣硅酸盐水泥32.5级 | t | 275 | 284 | 368 | 284 | 363 | | 284 | 381 | | 385 | | 275 | 284 | 372 | 354 | 284 | 328 |
| 107 | 普通硅酸盐水泥42.5级 | t | 337 | 301 | 403 | 319 | 363 | 292 | 301 | 416 | 372 | 385 | 363 | 301 | 301 | 381 | 381 | 301 | 319 |
| 108 | 黄砂 | m ³ | 170 | | | | 136 | | | 102 | | 155 | | | | 147 | | | |
| 109 | 中(粗)砂 | m ³ | 131 | 116 | 175 | | 204 | | 146 | 102 | 155 | 175 | 121 | 141 | 175 | 151 | 155 | 155 | 136 |
| 110 | 水洗中(粗)砂 | m ³ | 141 | 126 | 184 | 170 | 223 | 126 | 165 | 102 | | 175 | 134 | 150 | 116 | 199 | 165 | 175 | 146 |
| 111 | 细砂 | m ³ | 107 | 87 | 165 | 102 | 116 | 97 | 87 | 102 | | 136 | 129 | | | 175 | 155 | 146 | 136 |
| 112 | 豆粒砂 | m ³ | 102 | | | | 107 | | | 102 | | 107 | | | | | | | |
| 113 | 天然砂砾 | m ³ | 83 | | | | 116 | | | 141 | | 97 | 102 | | | | | | 58 |
| 114 | 河砾石(卵石)综合 | m ³ | 87 | | | | 97 | | | 141 | | | | | | | | 92 | |
| 115 | 碎石综合 | m ³ | 121 | 112 | | 160 | 175 | 116 | 112 | 141 | | 150 | 102 | | 155 | 160 | 146 | 131 | 136 |
| 116 | 小豆石 | m ³ | 68 | | | | 223 | | | 141 | | | | | | | | | |
| 117 | 蛭石 | m ³ | 180 | | | | 97 | | | 102 | | | | | | | | | |
| 118 | 矿渣 | m ³ | 39 | 39 | | | 49 | | 39 | | | 58 | | | | | | | |
| 119 | 炉渣 | m ³ | 63 | 39 | | | 58 | | 39 | | | 58 | | | | 83 | | 85 | |
| 120 | 粉煤灰 | t | 80 | | | | 97 | | | | | 80 | | | | 53 | | | |
| 121 | 磨细矿渣粉 | kg | | | | | | | | | | | | | | | | | |
| 122 | 生石灰 | t | 403 | | 320 | | | | | | | 291 | | | 330 | | | 381 | |
| 123 | 生石灰粉 | t | 306 | 311 | | 466 | | | 311 | | | 252 | | | 272 | | | 456 | |
| 124 | 石粉 | m ³ | 84 | | | 92 | 97 | | | | | 107 | | | 73 | | | 107 | |
| 125 | 黄土 | m ³ | 39 | | | | 48 | | | | | | | | | | | | |
| 126 | 红粘土 | m ³ | 34 | | | | | | | | | | | | | | | | |
| 127 | 石灰膏 | m ³ | 238 | | | | 175 | | | | | 340 | | | | | | | |
| 128 | 片石(毛石) | m ³ | 112 | 83 | | 116 | 141 | | 83 | | | | 107 | | 97 | 87 | 126 | 126 | |
| 129 | 机红砖240×115×53mm | 千块 | 319 | 328 | 363 | 425 | 381 | 310 | 328 | 310 | 372 | 381 | 346 | 328 | 310 | 443 | 399 | 310 | 310 |
| 130 | 粘土空心砖240×115×115mm | 千块 | 416 | | | | 425 | | | 310 | | 399 | | | | | | | |
| 131 | 粘土多孔砖240×115×90mm | 千块 | 399 | | | | 416 | | | 310 | | 399 | | | | | | | |
| 132 | 煤矸石砖240×115×53mm | 千块 | 341 | | | | | | | 310 | | 354 | | | | | | | |
| 133 | 机制水泥焦渣空心砖390×190×190mm | 块 | 1.6 | | | | | | | | | | | | | | | | |
| 134 | 机制水泥焦渣空心砖190×190×190mm | 块 | 0.9 | | | | | | | | | | | | | | | | |
| 135 | 机制水泥焦渣空心砖190×190×90mm | 块 | 0.35 | | | | | | | | | | | | | | | | |
| 136 | 蒸压粉煤灰标准砖MU10180mm*80mm*53mm | 块 | 0.45 | | | | | | | | | | | | | | | | |
| 137 | 面包砖(灰色)200mm*100mm*60mm | m ² | 35 | | | | | | | | | | | | | | | | |
| 138 | 面包砖(红黄)200mm*100mm*60mm | m ² | 37 | | | | | | | | | | | | | | | | |
| 139 | 蒸压加气混凝土砌块A3.5级 厚度≥150mm | m ³ | 186 | | | | | | | 275 | | 230 | | | 235 | 266 | | | |
| 140 | 蒸压加气混凝土砌块A3.5级100mm≤厚度<150mm | m ³ | 195 | | | | | | | 275 | | 230 | | | 235 | 266 | | | |
| 141 | 蒸压加气混凝土砌块A3.5级 厚度<100mm | m ³ | 204 | | | | | | | 275 | | 230 | | | 235 | 266 | | | |

| 编码 | 材料名称及规格型号 | 单位 | 临汾市区 | 侯马 | 霍州 | 汾西 | 洪洞 | 襄汾 | 曲沃 | 翼城 | 浮山 | 安泽 | 古县 | 乡宁 | 吉县 | 蒲县 | 大宁 | 隰县 | 永和 |
|-----------------------|---|----------------|--------|-------|----|-------|------|----|-------|----|----|-------|-------|----|----|----|-------|----|----|
| 177 | 中空玻璃6mm钢化白玻+12A+6mm钢化白玻 | m ² | 115.20 | | | | | | | | | | | | | | | | |
| 178 | 中空玻璃8mm钢化白玻+12A+8mm钢化白玻 | m ² | 128.49 | | | | | | | | | | | | | | | | |
| 七、墙砖、地砖材料 | | | | | | | | | | | | | | | | | | | |
| 179 | 内墙瓷砖300*300mm | m ² | 46.08 | | | | | | | | | | | | | | | | |
| 180 | 内墙瓷砖300*450mm | m ² | 46.08 | | | | | | | | | | | | | | | | |
| 181 | 内墙瓷砖300*600mm | m ² | 46.08 | | | | | | | | | | | | | | | | |
| 182 | 外墙瓷砖45*195mm | m ² | 52.28 | | | | | | | | | | | | | | | | |
| 183 | 外墙瓷砖60*240mm | m ² | 52.28 | | | | | | | | | | | | | | | | |
| 184 | 外墙瓷砖100*200mm | m ² | 52.28 | | | | | | | | | | | | | | | | |
| 185 | 外墙瓷砖200*400mm | m ² | 52.28 | | | 15.95 | | | | | | | | | | | | | |
| 186 | 地面瓷砖600*300mm | m ² | 56.71 | | | | | | | | | | | | | | | | |
| 187 | 地面瓷砖600*600mm | m ² | 62.03 | | | 35.45 | | | | | | | | | | | | | |
| 188 | 地面瓷砖800*800mm | m ² | 84.18 | | | 67.35 | | | | | | | | | | | | | |
| 189 | 地面瓷砖1000*1000mm | m ² | 101.91 | | | | | | | | | | | | | | | | |
| 八、墙面、天棚及屋面饰面材料 | | | | | | | | | | | | | | | | | | | |
| 190 | 钢丝网架聚苯乙烯泡沫墙板 国标 B1级密度20Kg/m ³ 单面网板50mm | m ² | 24.46 | | | 26.58 | | | | | | 17.72 | | | | | | | |
| 191 | 钢丝网架聚苯乙烯泡沫墙板 国标 B1级密度20Kg/m ³ 双面网板50mm | m ² | 27.56 | | | | | | | | | 26.58 | | | | | | | |
| 192 | 钢丝网架聚苯乙烯泡沫墙板 国标 B1级密度20Kg/m ³ 双面网板60mm | m ² | 31.37 | | | | | | | | | 31.02 | | | | | | | |
| 193 | 钢丝网架聚苯乙烯泡沫墙板 国标 B1级密度20Kg/m ³ 双面网板70mm | m ² | 35.27 | | | | | | | | | 35.45 | | | | | | | |
| 194 | 钢丝网架聚苯乙烯泡沫墙板 国标 B1级密度20Kg/m ³ 双面网板80mm | m ² | 39.08 | | | | | | | | | 44.31 | | | | | | | |
| 195 | 钢丝网架珍珠岩复合墙板(GZ板)76mm | m ² | 61.14 | | | | | | | | | 62.03 | | | | | | | |
| 196 | 钢丝网架珍珠岩复合墙板(GZ板)100mm | m ² | 66.46 | | | | | | | | | 75.32 | | | | | | | |
| 197 | 纸面石膏板9.5mm | m ² | 11.52 | | | | | | | | | 18.61 | | | | | | | |
| 198 | 纸面石膏板12mm | m ² | 12.41 | | | | | | | | | 22.15 | | | | | | | |
| 九、墙面、天棚及屋面饰面材料 | | | | | | | | | | | | | | | | | | | |
| 199 | 醇酸清漆 | kg | 11.52 | 10.63 | | | | | 10.63 | | | 11.52 | 11.52 | | | | | | |
| 200 | 醇酸磁漆(各色) | kg | 10.63 | 10.63 | | | | | 10.63 | | | | 14.18 | | | | | | |
| 201 | 醇酸防锈漆 | kg | 9.75 | 6.20 | | | | | 6.20 | | | 10.63 | 10.63 | | | | | | |
| 202 | 道路石油沥青90# | t | 3722 | | | | 4209 | | | | | | | | | | | | |
| 203 | SBS改性沥青 | t | 4785 | | | | 4386 | | | | | | | | | | | | |
| 204 | 弹性体(SBS)改性沥青防水卷材I型 聚酯胎双面PE 3mm | m ² | 23.04 | | | 22.15 | | | | | | 26.58 | | | | | 21.99 | | |
| 205 | 弹性体(SBS)改性沥青防水卷材I型 聚酯胎双面PE 4mm | m ² | 26.58 | | | 24.81 | | | | | | 28.36 | | | | | 21.27 | | |
| 206 | 弹性体(SBS)改性沥青防水卷材II型 聚酯胎双面PE 3mm | m ² | 25.70 | | | | | | | | | 28.36 | | | | | | | |

| 编码 | 材料名称及规格型号 | 单位 | 临汾市区 | 侯马 | 霍州 | 汾西 | 洪洞 | 襄汾 | 曲沃 | 翼城 | 浮山 | 安泽 | 古县 | 乡宁 | 吉县 | 蒲县 | 大宁 | 隰县 | 永和 |
|-------------------------|--|----|------|------|------|----|----|----|------|----|----|------|----|----|----|----|----|----|----|
| 278 | 保模一体板(芯材:热固性改性聚苯板32kg/m³内外侧砂浆层15mm)A级 85mm | m2 | | | | | | | | | | | | | | | | | |
| 279 | XPS保模一体板(B1级挤塑板 内外侧过渡保温层及砂浆35mm)85mm(芯材厚度50mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 280 | XPS保模一体板(B1级挤塑板 内外侧过渡保温层及砂浆35mm)95mm(芯材厚度60mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 281 | XPS保模一体板(B1级挤塑板 内外侧过渡保温层及砂浆35mm)105mm(芯材厚度70mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 282 | EPS保模一体板(B1级聚苯板 内外侧过渡保温层及砂浆35mm)85mm(芯材厚度50mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 283 | EPS保模一体板(B1级聚苯板 内外侧过渡保温层及砂浆35mm)95mm(芯材厚度60mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 284 | EPS保模一体板(B1级聚苯板 内外侧过渡保温层及砂浆35mm)105mm(芯材厚度70mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 285 | GEPS保模一体板(B1级石墨聚苯板内外侧过渡保温层及砂浆35mm)85mm(芯材厚度50mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 286 | GEPS保模一体板(B1级石墨聚苯板内外侧过渡保温层及砂浆35mm)95mm(芯材厚度60mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 287 | GEPS保模一体板(B1级石墨聚苯板内外侧过渡保温层及砂浆35mm)105mm(芯材厚度70mm)含倒刺保温钉6个/m2 | m2 | | | | | | | | | | | | | | | | | |
| 十二、吸音、抗辐射及无损探伤材料 | | | | | | | | | | | | | | | | | | | |
| 288 | 吸音棉 | m³ | | | | | | | | | | | | | | | | | |
| 289 | 墙面木质吸音板(B1级)2440mm*132mm*12mm粘接无纺布 | m² | | | | | | | | | | | | | | | | | |
| 十三、管材 | | | | | | | | | | | | | | | | | | | |
| 290 | 焊接钢管DN15-20mm | kg | 3.90 | 4.03 | 4.70 | | | | 4.03 | | | 4.96 | | | | | | | |
| 291 | 焊接钢管DN25-32mm | kg | 3.85 | 3.99 | 4.70 | | | | 3.94 | | | 4.96 | | | | | | | |
| 292 | 焊接钢管DN40-50mm | kg | 3.85 | 3.99 | 4.70 | | | | 3.94 | | | 4.87 | | | | | | | |
| 293 | 焊接钢管DN70mm以外 | kg | 3.81 | | 4.74 | | | | | | | 4.79 | | | | | | | |
| 294 | 热浸镀锌焊接钢管DN15-20mm | kg | 4.74 | | 5.36 | | | | | | | 4.96 | | | | | | | |
| 295 | 热浸镀锌焊接钢管DN25-32mm | kg | 4.70 | | 5.45 | | | | | | | 4.96 | | | | | | | |
| 296 | 热浸镀锌焊接钢管DN40-50mm | kg | 4.70 | | 5.41 | | | | | | | 4.87 | | | | | | | |
| 297 | 热浸镀锌焊接钢管DN70mm以外 | kg | 4.65 | | 5.45 | | | | | | | 4.70 | | | | | | | |
| 298 | 钢板直缝焊接钢管219-630mm | kg | 4.25 | | | | | | | | | 4.70 | | | | | | | |
| 299 | 钢板直缝焊接钢管720-820mm | kg | 4.25 | | | | | | | | | 4.70 | | | | | | | |
| 300 | 钢板螺旋焊接钢管219-630mm | kg | 4.34 | | | | | | | | | 4.70 | | | | | | | |
| 301 | 钢板螺旋焊接钢管720-820mm | kg | 4.34 | | | | | | | | | 4.70 | | | | | | | |
| 302 | 无缝钢管26-35mm | kg | 4.96 | | | | | | | | | 4.96 | | | | | | | |
| 303 | 无缝钢管36-50mm | kg | 4.74 | | | | | | | | | 4.87 | | | | | | | |
| 304 | 无缝钢管51-90mm | kg | 4.65 | | | | | | | | | 4.79 | | | | | | | |
| 305 | 无缝钢管91-167mm | kg | 4.65 | | | | | | | | | 4.79 | | | | | | | |

| 编码 | 材料名称及规格型号 | 单位 | 临汾市区 | 侯马 | 霍州 | 汾西 | 洪洞 | 襄汾 | 曲沃 | 翼城 | 浮山 | 安泽 | 古县 | 乡宁 | 吉县 | 蒲县 | 大宁 | 隰县 | 永和 |
|-----------------------|--------------------------|-----|-------|-------|----|-------|----|----|-------|----|------|-------|------|----|----|------|----|------|---------|
| 889 | 改性硬聚氯乙烯电线套管UPVC | m | 2.85 | | | | | | | | | | | | | | | | |
| 890 | 改性硬聚氯乙烯电线套管UPVC 32×1.9mm | m | 3.30 | 2.84 | | | | | 2.84 | | | | | | | | | | |
| 891 | 改性硬聚氯乙烯电线套管UPVC 40×1.5mm | m | 3.77 | | | | | | | | | | | | | | | | |
| 892 | 改性硬聚氯乙烯电线套管UPVC 40×2.0mm | m | 4.71 | 3.72 | | | | | 3.72 | | | | | | | | | | |
| 893 | 改性硬聚氯乙烯电线套管UPVC 50×2.0mm | m | 5.02 | 4.87 | | | | | 4.87 | | | | | | | | | | |
| 894 | 改性硬聚氯乙烯电线套管UPVC 70×2.3mm | m | 8.07 | 6.65 | | | | | 6.65 | | | | | | | | | | |
| 895 | 塑料暗装底盒86HS50 | 个 | 0.89 | | | | | | | | | | | | | | | | |
| 896 | 塑料暗装底盒86HS60 | 个 | 0.89 | | | | | | | | | | | | | | | | |
| 897 | 塑料暗装底盒86HS70 | 个 | 0.89 | | | | | | | | | | | | | | | | |
| 898 | 塑料暗装底盒86HS80 | 个 | 0.89 | | | | | | | | | | | | | | | | |
| 899 | 金属暗装接线盒86HS50 | 个 | 1.51 | | | | | | | | | | | | | | | | |
| 900 | 金属暗装接线盒86HS60 | 个 | 1.60 | | | | | | | | | | | | | | | | |
| 901 | 金属暗装接线盒86HS70 | 个 | 1.77 | | | | | | | | | | | | | | | | |
| 902 | 金属暗装接线盒86HS80 | 个 | 1.77 | | | | | | | | | | | | | | | | |
| 二十三、古建筑及仿古建筑材料 | | | | | | | | | | | | | | | | | | | |
| 903 | 生桐油 | kg | 29.95 | | | | | | | | | | | | | | | | |
| 904 | 光油 | kg | 39.88 | | | | | | | | | | | | | | | | |
| 905 | 血料 | kg | 3.88 | | | | | | | | | | | | | | | | |
| 二十四、其他材料 | | | | | | | | | | | | | | | | | | | |
| 906 | 施工用水 | m³ | 6.20 | 4.22 | | 6.01 | | | 4.22 | | 3.31 | 5.51 | 5.33 | | | 5.33 | | 6.34 | |
| 907 | 施工用电 | kWh | 0.89 | 0.89 | | | | | 0.89 | | 0.89 | 0.89 | 0.62 | | | 1.06 | | 1 | |
| 二十五、周转材料及五金工具 | | | | | | | | | | | | | | | | | | | |
| 908 | 模板锯材 | m³ | 1967 | 1817 | | | | | 1817 | | | 1994 | | | | | | | 2319.93 |
| 909 | 竹胶板10mm | m² | 35.45 | 9.75 | | 35.45 | | | 9.75 | | | 39.88 | | | | | | | 38.10 |
| 910 | 竹胶板12mm | m² | 38.99 | 12.41 | | 38.99 | | | 12.41 | | | 39.88 | | | | | | | 43.42 |
| 911 | 木胶合模板10mm | m² | 33.67 | 34.56 | | | | | 34.56 | | | 35.45 | | | | | | | 37 |
| 912 | 木胶合模板13mm | m² | 30.13 | | | | | | | | | 35.45 | | | | | | | 37.22 |
| 913 | 工具式组合钢模板 | kg | 4.87 | 3.72 | | | | | 3.72 | | | | 4.43 | | | | | | 7.09 |
| 914 | 钢模板支撑 | kg | 4.87 | 3.72 | | | | | 3.72 | | | 4.87 | 4.43 | | | | | | 5.14 |
| 915 | 方木支撑 | m³ | 1861 | | | | | | | | | 1994 | | | | | | | |
| 916 | 零星卡具 | kg | 4.87 | 3.72 | | | | | 3.72 | | | 4.87 | 4.43 | | | | | | 5.14 |
| 917 | 脚手架板锯材 | m³ | 1861 | 1728 | | | | | 1728 | | | 1994 | | | | | | | |
| 918 | 挡脚板锯材 | m³ | 1950 | 1728 | | | | | 1728 | | | 1994 | | | | | | | |
| 919 | 木架杆 | m³ | 1329 | 1196 | | | | | 1196 | | | 1994 | | | | | | | |
| 920 | 脚手架钢管 | kg | 4.87 | 3.72 | | | | | 3.72 | | | 5.14 | 4.43 | | | | | | 5.14 |
| 921 | 脚手架扣件 | 套 | 4.96 | 3.72 | | | | | 3.72 | | | 5.32 | | | | | | | |
| 二十六、道路桥梁专用材料 | | | | | | | | | | | | | | | | | | | |

